

CORRECTION

Open Access



# Correction to: Comparative evaluation of Icon® resin infiltration and Clinpro™ XT varnish on colour and fluorescence changes of white spot lesions: a randomized controlled trial

Annapurna Kannan\* and Sridevi Padmanabhan

**Correction:** *Prog Orthod* (2019) 20:23  
<https://doi.org/10.1186/s40510-019-0276-y>

In the publication of this article [1], there is an error in the Materials and methods section.

The error:

“The study was conducted at the Department of Orthodontics, XXX: Sri Ramachandra Institute of Higher Education and Research after the approval from the University’s Institutional Ethics Committee [number: CSP/16/SEP/51/280 dated October 4, 2016].

Should instead read:

The study was conducted at the Department of Orthodontics, Sri Ramachandra Institute of Higher Education and Research after the approval from the University’s Institutional Ethics Committee [number: CSP/16/SEP/51/280 dated October 4, 2016].

This has now been updated in the original article [1].

Received: 1 July 2019 Accepted: 1 July 2019

Published online: 26 July 2019

## Reference

1. Kannan A, Padmanabhan S. Comparative evaluation of Icon® resin infiltration and Clinpro™ XT varnish on colour and fluorescence changes of white spot lesions: a randomized controlled trial. *Prog Orthod*. 2019;20:23 <https://doi.org/10.1186/s40510-019-0276-y>.

\* Correspondence: [annapurnakannan@gmail.com](mailto:annapurnakannan@gmail.com)

The original article can be found online at <https://doi.org/10.1186/s40510-019-0276-y>

Department of Orthodontics and Dentofacial Orthopaedics, Faculty of Dental Sciences, Sri Ramachandra Institute of Higher Education and Research, Chennai, India